

CX-WEC10CK2 EQUIPMENT PACKAGE:

- 1 CM-AF540SO - 'PRESS FOR EMERGENCY ASSISTANCE' SWITCH & 'ASSISTANCE REQUESTED' LED ANNUNCIATOR WITH SOUNDER
- 2 CM-AF142SO - 'ASSISTANCE REQUIRED' MULTI-COLOR SINGLE GANG LED DOME LIGHT WITH SOUNDER (x2)
- 3 CM-SE21A - EMERGENCY ASSISTANCE SIGN

ADDITIONAL PARTS REQUIRED BUT NOT INCLUDED WITH THE CX-WEC10CK2:


- 4 CX-PS13 - 12/24 VDC LINEAR POWER SUPPLY
- 5 CX-TRX-4024 - 40VA, 24 VAC TRANSFORMER


NOTE:
WHEN USED WITH A CAMDEN CX-WC SERIES BARRIER WASHROOM KIT, THE CX-WEC10CK2 CAN GET ITS POWER FROM THE BARRIER FREE WASHROOM KITS POWER SUPPLY.

SYSTEM OPERATION

CX-WEC10CK2 OPERATION:

- THE 'PRESS FOR EMERGENCY ASSISTANCE' MUSHROOM PUSH BUTTON IS ACTIVATED BY THE OCCUPANT.
- THIS ENERGIZES THE LED ANNUNCIATOR AND SOUNDER WITHIN THE WASHROOM, AND THE DOME LIGHT WITH SOUNDER OUTSIDE THE WASHROOM.
- BOTH ANNUNCIATORS WILL BE ENERGIZED UNTIL THE LATCHING MUSHROOM PUSH BUTTON SWITCH IS PULLED OUT.



			5502 Timberlea Blvd. Mississauga, ON Canada L4W 2T7 Tel: (905) 366-3377 www.camdencontrols.com																			
<table border="1"> <thead> <tr> <th>DRAWN</th> <th>NAME</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>CHECKED</td> <td>A.OLISA</td> <td>MAR-20</td> </tr> <tr> <td>ENG APPR.</td> <td></td> <td></td> </tr> <tr> <td>MFG APPR.</td> <td></td> <td></td> </tr> <tr> <td>QA</td> <td></td> <td></td> </tr> <tr> <td>COMMENTS:</td> <td colspan="2"></td> </tr> </tbody> </table>	DRAWN	NAME	DATE	CHECKED	A.OLISA	MAR-20	ENG APPR.			MFG APPR.			QA			COMMENTS:			TITLE: BARRIER FREE DOOR CONTROL AND EMERGENCY NORMALLY UNSECURED (CX-WEC10CK2)			REV 1
DRAWN	NAME	DATE																				
CHECKED	A.OLISA	MAR-20																				
ENG APPR.																						
MFG APPR.																						
QA																						
COMMENTS:																						
SCALE: N/A		DWG. NO.: CX-WEC10CK2_Riser.DWG		SHEET 1 OF 1																		